

# BC1 2K<sup>+</sup>

### Battery-Powered 1-Camera Kit

Enjoy 365-day battery life along with stunning 2K<sup>+</sup> footage

Used together with a base station, the BC1 2K<sup>+</sup> provides hassle-free protection with premium performance – it is able to satisfy almost all your security needs with many best-in-class features. It can go anywhere around your household to cover every corner that matters to you.



2K<sup>+</sup> Resolution

Active Defense



Up to 365 Days of Battery Life<sup>1</sup> (12900 mAh)



Color Night Vision



Customizable Voice Alerts



Two-Way Talk



Base Station Included (Supports MicroSD Card up to 256 GB<sup>2</sup>)

H.265 Video Compression




Smart Integration with Google Assistant & Amazon Alexa



#### 365-day battery life with no strings attached

Fully charge your BC1 2K<sup>+</sup> camera, install it in minutes, and enjoy steady performance up to a year. You may also customize the activity-trigger settings based on the usage of your camera, so as to maximize its battery life.



### Stay charged with green energy



### Stunning details for superior protection

A clear vision can be the deciding factor in home protection. This camera satisfies this fundamental demand with ultra-clear 2K<sup>+</sup> video quality, and helps you see down to the tiny detail.





### Vivid night vision


Thanks to two built-in spotlights, the BC1 2K<sup>+</sup> camera can render vivid color imaging even in pitch-black darkness. This allows you to see crucial details that would otherwise be lost.





**Color Night Vision** 

Black and White Night Vision







#### Greeting can be this easy

Enjoy two-way communications by simply using your phone. Or, pre-record specific voice messages that automatically play when people are detected on camera.

\*Supports recording three 10-second audio messages.

#### Built to last

The BC1 2K<sup>+</sup> features a weatherproof enclosure, offering high levels of protection against dust and water and delivering long-lasting protection in even the toughest weather conditions.



#### Smart integration, hands-free control

Easily manage your BC1 2K+ Kit via the EZVIZ App. What's better, you can voice-enable the live viewing with "Hey Google" or "Alexa" to check what's happening on a bigger screen.




### Work with the Base Station for steady performance

Operating through cable connection, the base station ensures that the BC1 2K<sup>+</sup> cameras can enjoy a more stable internet status even at long distances, which also helps extend the cameras' battery life.





MicroSD card slot (up to 256 GB)



## It saves money on storage and bandwidth

The camera features the advanced H.265 video compression technology, achieving better video quality with only half the bandwidth and half the storage space required by the previous H.264 video compression standard<sup>7</sup>.




#### Safe, flexible storage that you can trust

Designed with a 256 GB MicroSD card slot, the Base Station lets you store videos recorded by the BC1 2K<sup>+</sup> camera locally. This design guarantees data security in case of camera damage or loss. You can also save videos to the EZVIZ CloudPlay for extra peace of mind.








Supports EZVIZ CloudPlay Storage<sup>8</sup>

### We protect your data and privacy

Protecting your data and privacy is our highest priority. Data transmission between the camera and the EZVIZ Cloud is encrypted from end to end. Only you have the keys to decrypt your data.



- 1 Data from EZVIZ Lab's test results under standard conditions. May vary due to environmental factors and the frequency of camera activities.
- 2 A local storage card must be purchased separately.
- 3 The solar panel is not included in the kit and please verify the product compatibility before making a purchase.
- 4 The spotlights will not flash when the color night vision mode is enabled.
- 5 The BC1 2K<sup>+</sup> add-on cameras are most recommended to use with the kit for optimized user experience. The base station can also connect with BC1 1080p add-on cameras, which need to be upgraded to the latest software and hardware version in the device settings.
- 6 Data from EZVIZ Lab's test results.
- 7 When the 24/7 recording mode is applied, the H.265 technology can reduce the video storage space and bandwidth by 50% when compared to the H.264.
- 8 The cloud storage service is only available in certain markets. Please verify the availability before making a purchase.

### Specifications Model CS-BC1-B1 (2K+)

#### Camera

Image Sensor 1/3" 4-Megapixel Progressive Scan CMOS Sensor

Shutter Speed Self-Adaptive shutter

Lens 2.8mm @ F1.6

Viewing angle: 116°(Diagonal), 100° (Horizontal)

Battery Capacity 12900 mAh

Minimum Illumination 0.2 Lux @ (F1.6, AGC ON), 0 Lux with IR

Lens Mount M12

Day & Night IR-Cut filter with auto-switching

DNR 3D DNR

Night Vision Distance Up to 32 ft / 10 m

#### Video & Audio

Max. Resolution  $2K^+/4MP$ ,  $2560 \times 1440$  pixels

Frame Rate 15fps. Self-Adaptive during network transmission

Video Compression H.265 / H.264

Video Bit Rate Ultra-HD; FHD; Hi-Def. Adaptive bit rate.

Audio Bit Rate Self-Adaptive

Max. Bitrate 2 Mbps

#### Camera Network

Wi-Fi Standard IEEE802.11b, 802.11g, 802.11n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Support 20 MHz

Security 64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK

Transmission Rate 11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps

Wi-Fi Pairing AP pairing

Protocol EZVIZ Cloud Proprietary Protocol

Interface Protocol EZVIZ Cloud Proprietary Protocol

Wired Network RJ45 × 1 in Base (10 M / 100 M Adaptive Ethernet Port)

Minimum Network Requirement 4 Mbps

#### Storage

Local Storage Supports microSD card (Up to 256 GB) on base

Cloud Storage Supports EZVIZ CloudPlay storage

(Subscription required)

#### **Function**

Smart Alarm Smart Human Motion Detection

Customized Alert Area Supports

Two-Way Talk Supports

### Specifications Model CS-BC1-B1 (2K+)

#### General

Operating Conditions -20 °C to 50 °C (-4 °F to 113 °F)

Humidity 95% or less (non-condensing)

IP Grade IP66

Package Dimensions  $260 \times 217 \times 180 \text{ mm} (10.24 \times 8.54 \times 7.09 \text{ inch})$ 

Weight (Camera) 385 g (13.58 oz)

Weight (Base) 207 g (7.30 oz)

Weight (With Package) 1304 g (46.00 oz)

#### **Base Station W2H-B**

limit number of connections 1 W2H-B supports up to 4 EZVIZ

battery-powered cameras

Button Sync button, power button, reset button.

Indicator 3 RGB LED indicator, 1 network indicator

Network Interface 1 RJ-45 10 / 100 Mbps Self-adaptive

Ethernet WAN interface

Wireless Interface Supports 2.4 G connection. The actual available

channels vary according to the sales area regulations. Theoretical maximum rate is 144 Mbps at 802.11b/g/n.

#### Power

Power Supply Camera: DC 5V / 2A

Base: DC 12V / 1A

Power Consumption Max. 5W

#### In the box

- BC1 2K+ Camera
- W2H-B Base Station
- Power Adapter (For base station)
- Magnetic Base
- Screw Base
- Mounting Plate
- Power Adapter (For camera)
- USB Cable
- Drill Template
- Screw Kit
- Regulatory Information
- Quick Start Guide

#### Certifications:

CE / FCC / WEEE / RoHS / REACH / UL