www.netis-systems.com



# **ST105GD**

## **5-Port Gigabit Ethernet Steel Switch**



### **OVERVIEW**:

Netis ST105GD provides 5 1000Mbps adaptive ports. It is very suitable for small and medium-sized office use, for more network environments, and supports long-distance transmission, being faster and more stable.

With steel housing, ST105GD performs better in heat dissipation. It is also easy to manage and maintain, meeting users' networking requirements for easy management of network devices with high security and low cost. ST105GD can be used in network access scenarios such as monitoring systems, small and micro enterprises, school dormitories, and SOHO offices. Its Plug and Play feature allows you fast network access without configuration.

### **KEY FEATURES:**

- 5\*10/100/1000 Mbps adaptive ports
- LED: 6 sapphire green LED indicators
- All ports support Auto MDI/MDI-X
- Plug and play without configuration, energy-saving
- Power supply: 5V/800mA

### **SPECIFICATION:**

HARDWARE	
Interface	5 * 10/100/1000M RJ45 adaptive port
Forwarding rate	10/100/1000Mbps
LED	PWR,1-5 RJ45 Port
Standard Protocol	IEEE802.3,IEEE802.3u ,IEEE802.3x
Backplane Bandwidth	10Gbps
MAC address table	2К
Operation mode	Half-duplex, full-duplex modes

#### NETIS SYSTEMS CO.,LTD





	Auto-negotiation modes MDI/MDI-X auto-adaptation
Power	DC 5V/800mA
Forwarding mode	Store-and-forward
Access mode	CSMA/CD
OTHER	
Dimensions	100*65*22.55 mm(L*W*H)
Environment	Operating Temperature : 0°C ~ 40°C Operating Humidity : 10% ~ 90% RH non condensing Storage Temperature : -20°C ~ 70°C Storage Humidity : 5% ~ 90% RH non condensing