

# ST108D

**8-Port Fast Ethernet Steel Switch**



*Easy Network, Trustable*

## OVERVIEW:

Netis ST108D provides 8 100Mbps adaptive ports. It is very suitable for small and medium-sized office use, for more network environments, and supports long-distance transmission, being faster and more stable.

With steel housing, ST108D performs better in heat dissipation. It is also easy to manage and maintain, meeting users' networking requirements for easy management of network devices with high security and low cost. ST108D can be used in network access scenarios such as monitoring systems, small and micro enterprises, school dormitories, and SOHO offices. Its Plug and Play feature allows you fast network access without configuration.

## KEY FEATURES:

- 8\*10/100 Mbps adaptive ports
- LED: 9 sapphire green LED indicators
- All ports support Auto MDI/MDI-X
- Plug and play without configuration, energy-saving
- Power supply: 5V/800mA

## SPECIFICATION:

| HARDWARE          |   |
|-------------------|---|
| Interface         | 8 * 10/100M RJ45 adaptive port  |
| Forwarding rate   | 10/100Mbps  |
| LED               | PWR, 1-8 RJ45 Port  |
| Standard Protocol | IEEE802.3,IEEE802.3u ,IEEE802.3x  |
| Operation mode    | Half-duplex, full-duplex modes<br>Auto-negotiation modes<br>MDI/MDI-X auto-adaptation |
| Power             | DC 5V/800mA   |
| Forwarding mode   | Store-and-forward   |

|              |   |
|--------------|---|
| Access mode  | CSMA/CD   |
| <b>OTHER</b> |   |
| Dimensions   | 150*70*22.55 mm(L*W*H)  |
| Environment  | Operating Temperature : 0°C ~ 40°C<br>Operating Humidity : 10% ~ 90% RH non condensing<br>Storage Temperature : -20°C ~ 70°C<br>Storage Humidity : 5% ~ 90% RH non condensing |